

IRONCUBE®



2023



About US

IRONCUBE Works is a creative, dynamic and accountable manufacturer and supplier of mechanics tools.

We focus on making high quality wrench and other tools with excellent service to ensure our customers satisfaction.




CNC machining center



Forging workshop



Hydraulic Workshop



DIN STANDARD WRENCH

- Professional Quality.
- Forged from Chrome Vanadium steel.
- Polished bi-hexagon ring and jaw offset at 15degree.



Art NO.:131101

COMBINATION SPANNER

Spec.	Length. (mm)	Inner/ Outer.	G.W. (kg)	Spec.	Length. (mm)	Inner/ Outer.	G.W. (kg)
6mm	110	12/360	8	19mm	240	6/120	24
7mm	120	12/360	9	20mm	250	6/120	26
8mm	130	12/360	11	21mm	260	6/90	23
9mm	140	12/360	12	22mm	270	6/90	25
10mm	150	12/360	15	23mm	280	6/90	27
11mm	160	12/300	16	24mm	290	6/60	20
12mm	170	12/300	18	25mm	300	6/60	21
13mm	180	12/240	19	26mm	310	6/60	22
14mm	190	12/240	20	27mm	320	6/60	24
15mm	200	12/180	18	28mm	330	6/60	30
16mm	210	12/180	21	29mm	340	6/30	16
17mm	220	12/120	16	30mm	350	6/30	17
18mm	230	12/120	20	32mm	370	6/30	21



Art NO.:131201

DOUBLE OPEN END SPANNER

Spec.	Length. (mm)	Inner/ Outer.	G.W. (kg)	Spec.	Length. (mm)	Inner/ Outer.	G.W. (kg)
6x7	120	12/360	9	17x19	220	12/180	28
8x9	140	12/360	15	18x19	220	12/180	28
8x10	140	12/360	14	20x22	235	6/120	25
10x11	155	12/360	21	21x23	245	6/60	16
10x12	170	12/360	21	22x24	250	6/60	16
12x13	170	12/300	24	24x27	260	6/60	18
12x14	170	12/300	23	25x28	270	6/48	24
14x15	185	12/240	24	27x30	280	6/48	21
14x17	190	12/240	23	30x32	295	6/48	24
16x17	200	12/180	25				



Art NO.:131301

DOUBLE RING OFFSET SPANNER

Spec.	Length. (mm)	Inner/ Outer.	G.W. (kg)	Spec.	Length. (mm)	Inner/ Outer.	G.W. (kg)
6x7	165	12/240	11	17x19	265	12/120	27
8x9	180	12/240	14	18x19	265	12/120	27
8x10	180	12/240	14	20x22	285	6/90	27
10x11	195	12/240	19	21x23	305	6/60	21
10x12	195	12/240	19	22x24	315	6/60	21
12x13	215	12/240	26	24x27	325	6/60	25
12x14	215	12/240	26	25x28	340	6/30	17
14x15	235	6/150	22	27x30	355	6/30	17
14x17	240	6/150	22	30x32	375	6/30	20
16x17	250	6/150	27				

AMSE STANDARD WRENCH

- Professional Quality.
- Drop Forged from Carbon steel or Cr-V steel
- Chrome plated for corrosion protection and prolonged life.



Art NO.:133101

COMBINATION SPANNER

Spec.	Length. (mm)	Inner/Outer.	G.W. (kg)	Spec.	Length. (mm)	Inner/Outer.	G.W. (kg)
6mm	101	12/360	8	19mm	231	6/120	23
7mm	111	12/360	10	20mm	242	6/120	26
8mm	121	12/360	12	21mm	253	6/90	22
9mm	131	12/360	15	22mm	262	6/90	24
10mm	141	12/360	17	23mm	275	6/60	18
11mm	152	12/300	18	24mm	287	6/60	20
12mm	161	12/300	21	25mm	300	6/60	22
13mm	172	12/240	20	26mm	300	6/60	22
14mm	183	12/240	24	27mm	331	6/60	27
15mm	191	12/180	20	28mm	365	6/60	32
16mm	201	12/180	23	29mm	365	6/30	16
17mm	211	12/120	18	30mm	384	6/30	19
18mm	221	12/120	20	32mm	405	6/30	23



Art NO.:133201

DOUBLE OPEN END SPANNER

Spec.	Length. (mm)	Inner/Outer.	G.W. (kg)
6x7	109	12/360	14
8x9	124	12/360	18
10x11	138	12/360	23
12x13	152	12/300	25
14x15	168	12/240	27
16x17	178	12/180	24
18x19	189	12/180	26
20x22	209	6/120	22
21x23	229	6/120	24
24x27	250	6/60	21
25x28	266	6/48	24
30x32	278	6/48	27



Art NO.:133301

DOUBLE RING OFFSET SPANNER

Spec.	Length. (mm)	Inner/Outer.	G.W. (kg)
6x7	121	12/300	9
8x9	141	12/300	18
10x11	164	12/300	21
12x13	190	12/240	23
14x15	221	6/150	22
16x17	223	6/150	21
18x19	256	6/120	26
20x22	297	6/90	28
21x23	301	6/60	21
24x27	348	6/60	25
25x28	403	6/30	22
30x32	409	6/30	28

Mirror Polished For Rust-Resistance

72 Teeth 5° Turns

Premium CR-V Steel

Meet ASME Standard



RATCHETING Wrench

- Professional Quality.
- Correctly hardened, tempered and chrome plated for corrosion protection.
- Only 5 degree movement required to turn fastener, especially used in confined working areas.



ART NO.:137201
RATCHET SPANNER



Spec.	Length. (mm)	Inner/Outer.	G.W. (kg)	Spec.	Length. (mm)	Inner/Outer.	G.W. (kg)
6mm	125	12/240	5	19mm	245	6/60	13
7mm	133	12/240	6	20mm	290	6/60	20
8mm	140	12/120	4	21mm	290	6/60	20
9mm	150	12/120	5	22mm	290	6/60	21
10mm	159	12/120	6	23mm	335	6/48	26
11mm	165	12/120	7	24mm	335	6/48	25
12mm	171	12/120	9	25mm	335	6/48	24
13mm	178	6/120	10	26mm	359	6/30	18
14mm	191	6/120	13	27mm	359	6/30	18
15mm	200	6/60	8	28mm	405	6/24	22
16mm	209	6/60	9	29mm	405	6/24	22
17mm	225	6/60	10	30mm	405	6/24	22
18mm	237	6/60	12	32mm	425	6/24	23



ART NO.:137301
FLEXIBLE HEAD RATCHET SPANNER

Spec.	Length. (mm)	Inner/Outer.	G.W. (kg)	Spec.	Length. (mm)	Inner/Outer.	G.W. (kg)
8mm	140	12/120	4	17mm	227	6/60	10
9mm	150	12/120	5	18mm	238	6/60	12
10mm	161	12/120	6	19mm	248	6/60	13
11mm	167	12/120	7	20mm	292	6/60	20
12mm	173	12/120	9	21mm	292	6/60	20
13mm	180	6/120	10	22mm	292	6/60	21
14mm	191	6/120	13	23mm	333	6/48	26
15mm	200	6/60	8	24mm	333	6/48	25
16mm	210	6/60	9	25mm	333	6/48	24



ART NO.:137403
REVERSIBLE RATCHET SPANNER

Spec.	Length. (mm)	Inner/Outer.	G.W. (kg)	Spec.	Length. (mm)	Inner/Outer.	G.W. (kg)
8mm	140	12/120	4	17mm	226	6/60	10
9mm	150	12/120	5	18mm	237	6/60	12
10mm	159	12/120	6	19mm	248	6/60	13
11mm	165	12/120	7	20mm	293	6/60	20
12mm	172	12/120	9	21mm	293	6/60	20
13mm	178	6/120	10	22mm	293	6/60	21
14mm	191	6/120	13	23mm	334	6/48	26
15mm	200	6/60	8	24mm	334	6/48	25
16mm	208	6/60	9	25mm	334	6/48	24

NEW RATCHET WRENCH



Color Can Be Customized
New Appearance Design



ART NO.:137101 Fixed Ratchet Wrench

Spec.	Length. (mm)	Inner/Outer.	G.W. (kg)	Spec.	Length. (mm)	Inner/Outer.	G.W. (kg)
8mm	140	12/120	4	17mm	227	6/60	10
9mm	150	12/120	5	18mm	238	6/60	12
10mm	161	12/120	6	19mm	248	6/60	13
11mm	167	12/120	7	20mm	292	6/60	20
12mm	173	12/120	9	21mm	292	6/60	20
13mm	180	6/120	10	22mm	292	6/60	21
14mm	191	6/120	13	23mm	333	6/48	26
15mm	200	6/60	8	24mm	333	6/48	25
16mm	210	6/60	9	25mm	333	6/48	24



ART NO.:137401 Reversible Ratchet Wrench

Spec.	Length. (mm)	Inner/Outer.	G.W. (kg)	Spec.	Length. (mm)	Inner/Outer.	G.W. (kg)
8mm	140	12/120	4	17mm	227	6/60	10
9mm	150	12/120	5	18mm	238	6/60	12
10mm	161	12/120	6	19mm	248	6/60	13
11mm	167	12/120	7	20mm	292	6/60	20
12mm	173	12/120	9	21mm	292	6/60	20
13mm	180	6/120	10	22mm	292	6/60	21
14mm	191	6/120	13	23mm	333	6/48	26
15mm	200	6/60	8	24mm	333	6/48	25
16mm	210	6/60	9	25mm	333	6/48	24



ART NO.:137302 Flexible Ratchet Wrench

Spec.	Length. (mm)	Inner/Outer.	G.W. (kg)	Spec.	Length. (mm)	Inner/Outer.	G.W. (kg)
8mm	140	12/120	4	17mm	226	6/60	10
9mm	150	12/120	5	18mm	237	6/60	12
10mm	159	12/120	6	19mm	248	6/60	13
11mm	165	12/120	7	20mm	293	6/60	20
12mm	172	12/120	9	21mm	293	6/60	20
13mm	178	6/120	10	22mm	293	6/60	21
14mm	191	6/120	13	23mm	334	6/48	26
15mm	200	6/60	8	24mm	334	6/48	25
16mm	208	6/60	9	25mm	334	6/48	24

WRENCH SET WITH POUCH



WRENCH SET WITH WALLET



WRENCH SET WITH PLASTIC FRAME





Electrician Repair



Mechanic Repair



Home Maintenance



Auto Repair





ART NO.:137111
12-Piece Reversible Ratchet Wrench Set

Material: CR-V
Finished: Black
Size: 8,9,10,11,12,13,
14,15,16,17,18,19mm



ART NO.:137110
12-Piece Fixed Ratchet Wrench Set

Material: CR-V
Finished: Black
Size: 8,9,10,11,12,13,
14,15,16,17,18,19mm



Electrician Repair



Mechanic Repair



Home Maintenance



Auto Repair





ART NO.:137112
12-Piece Fixed Ratchet Wrench Set

Material: CR-V
Finished: Satin
Size: 8,9,10,11,12,13,
14,15,16,17,18,19mm



ART NO.:137113
12-Piece Flexible Ratchet Wrench Set

Material: CR-V
Finished: Satin
Size: 8,9,10,11,12,13,
14,15,16,17,18,19mm



ART NO.:137114
12-Piece Combination Wrench Set

Material: CR-V
Finished: Black
Size: 8,9,10,11,12,13,
14,15,16,17,18,19mm



ART No.: 132001

Flare Nut Wrench



Spec.	Length. (mm)	Inner/ Outer.	G.W. (kg)
6x8mm	123.5	12/120	8
8x10mm	125.6	12/120	8
9x11mm	138	12/120	9
10x12mm	138	12/120	9
11x13mm	138	6/120	9
12x14mm	162	6/120	12
13x14mm	162	6/120	12
15x17mm	174	6/120	13
17x19mm	175	6/60	9
19x22mm	195	6/60	11
22x24mm	212	6/60	14



ART No.: 131304

Flare Nut Wrench Set

10x12 13x14 15x17

ART No.: 131307

Super Slim Wrench



Spec.	Length. (mm)	Inner/ Outer.	G.W. (kg)
5.5x7	102	5/500	12
8x9	117	5/500	13
10x12	130	5/200	8
11x13	141	5/200	10
14x17	150	10/200	12
15x16	150	10/200	12
18x20	180	10/200	13
19x21	180	10/200	13
22x23	200	10/200	14
24x27	215	10/100	10



ART No.: 131304

Super Slim Wrench Set

5.5x7 8x9 10x12 11x13 14x17
15x16 18x20 19x21 22x23 24x27

Size	Carton (pcs)	G. W. (kg)	Lengh (mm)	Weight (g)
8mm	90	8.9	160	88
9mm	90	8.8	160	86
10mm	90	8.6	160	84
11mm	72	9.1	175	113
12mm	72	9.0	175	111
13mm	72	11.9	190	151
14mm	72	11.7	190	149
15mm	36	8.7	215	214
16mm	36	8.5	215	208
17mm	36	8.4	215	206
18mm	36	11.4	230	289
19mm	36	11.2	230	283


ART NO.:137520
Fixed-Head Flare
Nut Ratchet Wrench



ART NO.:137521
Flexible-Head Flare
Nut Ratchet Wrench



Size	Carton (pcs)	G. W. (kg)	Lengh (mm)	Weight (g)
8mm	90	7.9	147	77
9mm	90	8.4	156	82
10mm	90	8.8	165	87
11mm	72	9.4	172	117
12mm	72	9.6	174	120
13mm	72	11.9	187	151
14mm	72	13	195	167
15mm	36	8.7	208	214
16mm	36	9.1	221	225
17mm	36	9.8	233	245
18mm	36	12.4	250	317
19mm	36	13.3	258	340
21mm	36	18	298	435
22mm	36	16.3	298	435
24mm	24	17	335	560
27mm	24	19.7	370	760
28mm	24	18.8	370	760
30mm	18	21.2	410	840



NO.: 137518



NO.: 137517

**3 in 1 Flexible-Head
Ratcheting Wrench**



NO.: 137513

17 Pcs Extra Long Flex-Head Ratcheting Wrench Set With Case



Equipped with **15PCS** replacement heads, it will meet your needs for various tasks

14mm wrench is suitable for 8, 9, 10, 11, 12mm heads
19mm wrench is suitable for 13, 15, 16, 17, 18, 21, 22mm heads



Enjoy a **variety** of options with our wrench set

Our design of "an assembly of a wrench and sockets and replacement heads" has obtained the US patent. It is equipped with 3 types of socket drive adapters and 12PCS replacement heads, which will meet your different needs.



Easy to install

Installation steps

Press the sleeve in the direction of the arrow to install the sleeve and operate with one hand. Sleeve adopts anti-drop groove design and is more difficult to fall off.



7 in 1 Ratcheting Wrench Set



Including Size:
 8mm, 10mm, 12mm, 13mm,
 14mm, 17mm, 19mm

NO.:137501



**7 in 1
 Fixed Head Ratchet
 Wrench Set**

NO.:137502



**7 in 1
 Flexible Head
 Ratchet Wrench Set**

NO.:137503



**7 in 1
 Reversible Ratchet
 Wrench Set**



12 in 1 Ratcheting Wrench Set With Case



NO.:137504



**12 in 1
Fixed-Head Ratchet
Wrench Set**

NO.:137505



**12 in 1
Flexible-Head
Ratchet Wrench Set**

NO.:137506



**12 in 1
Reversible Ratchet
Wrench Set**





NINGBO IRONCUBE WORKS INTERNATIONAL TRADE CO.,LTD

ADD: Room.805, No.666 Tiantong Road, Ningbo China

Tel: +86-574-87423651

WWW.IRONCUBEWORKS.COM